ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 612 (2000) 185

Journal of Organometallic Chemistry

Author Index of Volume 612

Adams, H., 85
Auer, H., 141

Barrow, M., 61
Barthelat, J.-C., 69
Böhme, U., 133
Boss, K., 18
Buchmeiser, M.R., 1

Cai, R., 176
Cox, M.G., 18
Cromhout, N.L., 61
Cunningham, D., 53, 61

Dahrouch, M., 69
Denisov, F.S., 9
Dowling, C., 18

El-khateeb, M., 14
Ellert, O.G., 9

Fernández, A., 85
Fernández, J.J., 85

Gil-Rubio, J., 125
Guo, Y.-L., 172

Haukka, M., 106
Herber, R.H., 1
Herzog, U., 133
Husebye, S., 46
Hussein, K., 69

Kiefer, W., 125
Kira, M., 117

Lahuerta, P., 36
Landers, E.M., 53
Lentz, D., 96
Liang, Y.-m., 172
Liu, C.-M., 172
López-Torres, M., 85
Lyssenko, K.A., 9

Manning, A.R., 18, 61
Marton, D., 78
Ma, Y.-X., 172
McArdle, P., 53, 61
Moigno, D., 125

Ní Chonchubhair, N., 53
Nefedov, S.E., 9
Niedermayer, W., 141
Nöth, H., 141
Novotortsev, V.M., 9

Ortigueira, J.M., 85

Pakkanen, T.A., 106
Pasynskii, A.A., 9
Pereira, I., 36
Pérez-Prieto, J., 36
Polborn, K., 141

Rheinwald, G., 133
Rivière-Baudet, M., 69
Rivière, P., 69

Sanaú, M., 36
Schenk, W.A., 14
Schottenberger, H., 1
Schwenk-Kircher, H., 141
Semenova, N.I., 9
Singh, A.K., 46
Sooriyakumar, J., 46
Stange, A.F., 117
Stiriba, S.-E., 36
Straub, T., 106
Suárez, A., 85
Sun, C., 160

Taber, D.F., 36
Tari, M., 78
Tokura, S., 117
Tornroos, K.W., 46
Torubaev, Yu.V., 9

Vila, J.M., 85

Weng, L., 176
Werner, H., 125
Wiberg, N., 141
Willemsen, S., 96
Wolfsberger, B., 14
Wong, W.-K., 160
Wong, W.-T., 160
Wong, W.-Y., 160
Wu, X.-l., 172

Zhang, L., 176
Zhou, X., 176

PII: S0022-328X(00)00702-6

ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 612 (2000) 187–190

Journal of Organometallic Chemistry

Subject Index of Volume 612

Adduct
Triphenylphosphine oxide adducts of diphenylantimony(V) and diorganotin(IV) Lewis acids: structures of $SnPh_2Cl_2 \cdot OPPh_3$, $SnPh_2Cl_2 \cdot 2OPPh_3$, $SnPh_2Br_2 \cdot OPPh_3$ and $SbPh_2Cl_3 \cdot OPPh_3$, 53
Alkyltin
Wurtz-type reductive coupling reaction of primary alkyl iodides and haloorganotins in cosolvent/$H_2O(NH_4Cl)$/Zn media as a route to mixed alkylstannanes and hexaalkyldistannanes, 78
Alkyne
The photolysis of $Fe(CO)_3\{P(OPh)_3\}_2$ and reaction of the photoproduct with alkynes: crystal structures of $Fe(CO)_2\{P(OPh)_3\}_2(\eta^2\text{-PhCCPh})$, $Fe(CO)_2\{P(OPh)_3\}_2\{\eta^1{:}\eta^1\text{-C(O)C(Me)C[CH(OEt)}_2\text{]C(O)}\}$ and $Fe_2(CO)_4\{P(OPh)_3\}_2(PhCCH)_2$, 61

Bis{2-(*N*-morpholino)-ethyl}telluride
N-{2-(4-Methoxyphenyltelluro)ethyl}morpholine (L^1) and bis{2-(*N*-morpholino)ethyl}telluride (L^2): synthesis and complexation with palladium(II) and mercury(II). Crystal structures of *trans*-$[PdCl_2(L^1)_2]$ and *trans*-$[PdCl_2(L^2)_2]$, 46
1,1′-bis(Tributylstannyl)ferrocene
A novel synthesis of 1,1′-unsymmetrical disubstituted heteroarylferrocene, 172

Carbenoid
ortho-Metalated dirhodium(II)-catalyzed α-diazocarbonyl transformation. Diastereoselective cyclopropanation of menthyl-α-diazo-β-keto ester and C–H insertion of α-diazo ester, 36
Carbonyl
Reactivities of π-electron-rich phosphorus–nitrogen ligands toward Groups VIB and VIIB metal carbonyl complexes, 160
Carbonyl compounds
Unbridged homo and hetero dinuclear complexes of Group 6 and 8 metals: synthesis, characterization and comparison of X-ray crystallographic data, 106
Carbonyl ligands
Transition metal complexes of 2,2,2-trifluoroethyl isocyanide and 1H,1H-perfluorooctyl isocyanide, 96
Chalcogenides
Antiferromagnetic complexes with metal–metal bonds: Part XXIX. Synthesis and molecular structures of heterochalcogenide binuclear complex $[\pi\text{-}(CH_3C_5H_4)Cr(\mu\text{-SPh})]_2Se$ and trinuclear mixed-metal cluster $[\pi\text{-}(CH_3C_5H_4)_2Cr_2(\mu\text{-SPh})](\mu_3\text{-S})(\mu_3\text{-Se})Co(CO)_2$, 9
Chromium
Antiferromagnetic complexes with metal–metal bonds: Part XXIX. Synthesis and molecular structures of heterochalcogenide binuclear complex $[\pi\text{-}(CH_3C_5H_4)Cr(\mu\text{-SPh})]_2Se$ and trinuclear mixed-metal cluster $[\pi\text{-}(CH_3C_5H_4)_2Cr_2(\mu\text{-SPh})](\mu_3\text{-S})(\mu_3\text{-Se})Co(CO)_2$, 9
Reactivities of π-electron-rich phosphorus–nitrogen ligands toward Groups VIB and VIIB metal carbonyl complexes, 160
Cobalt
Antiferromagnetic complexes with metal–metal bonds: Part XXIX. Synthesis and molecular structures of heterochalcogenide binuclear complex $[\pi\text{-}(CH_3C_5H_4)Cr(\mu\text{-SPh})]_2Se$ and trinuclear mixed-metal cluster $[\pi\text{-}(CH_3C_5H_4)_2Cr_2(\mu\text{-SPh})](\mu_3\text{-S})(\mu_3\text{-Se})Co(CO)_2$, 9
Complex
N-{2-(4-Methoxyphenyltelluro)ethyl}morpholine (L^1) and bis{2-(*N*-morpholino)ethyl}telluride (L^2): synthesis and complexation with palladium(II) and mercury(II). Crystal structures of *trans*-$[PdCl_2(L^1)_2]$ and *trans*-$[PdCl_2(L^2)_2]$, 46
Coupling
Wurtz-type reductive coupling reaction of primary alkyl iodides and haloorganotins in cosolvent/$H_2O(NH_4Cl)$/Zn media as a route to mixed alkylstannanes and hexaalkyldistannanes, 78
Crystal structures
N-{2-(4-Methoxyphenyltelluro)ethyl}morpholine (L^1) and bis{2-(*N*-morpholino)ethyl}telluride (L^2): synthesis and complexation with palladium(II) and mercury(II). Crystal structures of *trans*-$[PdCl_2(L^1)_2]$ and *trans*-$[PdCl_2(L^2)_2]$, 46
Synthesis and studies on reactivities of tetrahydrofurfurylcyclopentadienyl lanthanide chlorides $Cp^sLnCl_2 \cdot 2THF$ (Ln = Dy, Ho, Gd) and $Cp^s_2LnCl \cdot$(Ln = Sm, Dy). The crystal structures of Cp^s_2SmCl and $Cp^s_2Sm \cdot (C_3N_2HMe_2)$, 176
Unbridged homo and hetero dinuclear complexes of Group 6 and 8 metals: synthesis, characterization and comparison of X-ray crystallographic data, 106
Cyclometallation
Polynuclear cyclometallated palladium (II) complexes derived from potentially hexadentate Schiff base ligands. Crystal structures of $[(Cl)Pd\{Me_2NCH_2CH_2N{=}(H)C\}C_6H_2\{C(H){=}NCH_2CH_2NMe_2\}Pd(Cl)]$ and $[\{(Ph_2PCH_2CH_2)_2PPh\text{-}P,P,P\}Pd\{Me_2NCH_2CH_2N{=}(H)C\}C_6H_2\{C(H){=}NCH_2CH_2NMe_2\}Pd\{(Ph_2PCH_2CH_2)_2PPh\text{-}P,P,P\}][Cl]_2$, 85
Cyclopentadienyl complexes
Antiferromagnetic complexes with metal–metal bonds: Part XXIX. Synthesis and molecular structures of heterochalcogenide binuclear complex $[\pi\text{-}(CH_3C_5H_4)Cr(\mu\text{-SPh})]_2Se$ and trinuclear mixed-metal cluster $[\pi\text{-}(CH_3C_5H_4)_2Cr_2(\mu\text{-SPh})](\mu_3\text{-S})(\mu_3\text{-Se})Co(CO)_2$, 9

DFT calculations
Vibrational spectroscopy studies and density functional theory calculations on square-planar vinylidene, carbonyl and ethylene rhodium(I) complexes, 125
Diazo compounds
ortho-Metalated dirhodium(II)-catalyzed α-diazocarbonyl transformation. Diastereoselective cyclopropanation of menthyl-α-diazo-β-keto ester and C–H insertion of α-diazo ester, 36
μ-Dimethylaminocarbyne
The reactions of *cis*-$[Fe_2(\eta\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CNMe_2)_2][SO_3CF_3]_2$ and related compounds with nucleophiles, 18

PII: S0022-328X(00)00703-8

Dinuclear complexes
Polynuclear cyclometallated palladium (II) complexes derived from potentially hexadentate Schiff base ligands. Crystal structures of [(Cl)Pd{$Me_2NCH_2CH_2N$=(H)C}C_6H_2{C(H)=$NCH_2CH_2NMe_2$}Pd(Cl)] and [{$(Ph_2PCH_2CH_2)_2$PPh-*P,P,P*}Pd{$Me_2NCH_2CH_2N$=(H)C}C_6H_2{C(H)=NCH_2-CH_2NMe_2}Pd{$(Ph_2PCH_2CH_2)_2$PPh-*P,P,P*}][Cl]$_2$, 85
Disilanes
1,2-Dithiolate derivatives of monosilanes and disilanes, 133
Distannane
Wurtz-type reductive coupling reaction of primary alkyl iodides and haloorganotins in cosolvent/$H_2O(NH_4Cl)$/Zn media as a route to mixed alkylstannanes and hexaalkyldistannanes, 78
Disupersilyldisilanes
Disupersilyldisilane R*X_2Si–SiX_2R*: Darstellung, Charakterisierung und Strukturen; sterische Effekte der Substituenten, 141

Ethynes
^{57}Fe-Mössbauer spectroscopic study of monomeric and polymeric ferrocenyl- and octamethylferrocenyl-substituted ethynes, 1

Ferrocenyl polymers
^{57}Fe-Mössbauer spectroscopic study of monomeric and polymeric ferrocenyl- and octamethylferrocenyl-substituted ethynes, 1
Ferrole
The photolysis of $Fe(CO)_3${$P(OPh)_3$}$_2$ and reaction of the photoproduct with alkynes: crystal structures of $Fe(CO)_2$-{$P(OPh)_3$}$_2$(η^2-PhCCPh), $Fe(CO)_2${$P(OPh)_3$}$_2${η^1:η^1-C(O)C(Me)C[CH$(OEt)_2$]C(O)} and $Fe_2(CO)_4${$P(OPh)_3$}$_2$-$(PhCCH)_2$, 61

Hetero bimetallic complexes
Unbridged homo and hetero dinuclear complexes of Group 6 and 8 metals: synthesis, characterization and comparison of X-ray crystallographic data, 106

IR and FT-Raman spectroscopy
Vibrational spectroscopy studies and density functional theory calculations on square-planar vinylidene, carbonyl and ethylene rhodium(I) complexes, 125
Iron
The reactions of *cis*-[$Fe_2(\eta$-$C_5H_5)_2(CO)_2(\mu$-$CNMe_2)_2$][SO_3CF_3]$_2$ and related compounds with nucleophiles, 18
Iron carbonyl
The photolysis of $Fe(CO)_3${$P(OPh)_3$}$_2$ and reaction of the photoproduct with alkynes: crystal structures of $Fe(CO)_2$-{$P(OPh)_3$}$_2$(η^2-PhCCPh), $Fe(CO)_2${$P(OPh)_3$}$_2${η^1:η^1-C(O)C(Me)C[CH$(OEt)_2$]C(O)} and $Fe_2(CO)_4${$P(OPh)_3$}$_2$-$(PhCCH)_2$, 61
Isocyanide ligands
Transition metal complexes of 2,2,2-trifluoroethyl isocyanide and 1H,1H-perfluorooctyl isocyanide, 96
Isotopic substitution
Vibrational spectroscopy studies and density functional theory calculations on square-planar vinylidene, carbonyl and ethylene rhodium(I) complexes, 125

Magnetic properties
Antiferromagnetic complexes with metal–metal bonds: Part XXIX. Synthesis and molecular structures of heterochalcogenide binuclear complex [π-$(CH_3C_5H_4)$Cr(μ-SPh)]$_2$Se and trinuclear mixed-metal cluster [π-$(CH_3C_5H_4)_2Cr_2(\mu$-SPh)](μ_3-S)(μ_3-Se)$Co(CO)_2$, 9
Maleoyl
The photolysis of $Fe(CO)_3${$P(OPh)_3$}$_2$ and reaction of the photoproduct with alkynes: crystal structures of $Fe(CO)_2${$P(OPh)_3$}$_2$(η^2-PhCCPh), $Fe(CO)_2${$P(OPh)_3$}$_2${η^1:η^1-C(O)C(Me)C[CH$(OEt)_2$]C(O)} and $Fe_2(CO)_4${$P(OPh)_3$}$_2$-$(PhCCH)_2$, 61
Manganese
Reactivities of π-electron-rich phosphorus–nitrogen ligands toward Groups VIB and VIIB metal carbonyl complexes, 160
Mercury(II)
N-{2-(4-Methoxyphenyltelluro)ethyl}morpholine (**L^1**) and bis{2-(*N*-morpholino)ethyl}telluride (**L^2**): synthesis and complexation with palladium(II) and mercury(II). Crystal structures of *trans*-[$PdCl_2$(**L^1**)$_2$] and *trans*-[$PdCl_2$(**L^2**)$_2$], 46
Metal carbonyls
Antiferromagnetic complexes with metal–metal bonds: Part XXIX. Synthesis and molecular structures of heterochalcogenide binuclear complex [π-$(CH_3C_5H_4)$Cr(μ-SPh)]$_2$Se and trinuclear mixed-metal cluster [π-$(CH_3C_5H_4)_2Cr_2(\mu$-SPh)](μ_3-S)(μ_3-Se)$Co(CO)_2$, 9
Mixed-metal clusters
Antiferromagnetic complexes with metal–metal bonds: Part XXIX. Synthesis and molecular structures of heterochalcogenide binuclear complex [π-$(CH_3C_5H_4)$Cr(μ-SPh)]$_2$Se and trinuclear mixed-metal cluster [π-$(CH_3C_5H_4)_2Cr_2(\mu$-SPh)](μ_3-S)(μ_3-Se)$Co(CO)_2$, 9
Molybdenum
Reactivities of π-electron-rich phosphorus–nitrogen ligands toward Groups VIB and VIIB metal carbonyl complexes, 160
Unbridged homo and hetero dinuclear complexes of Group 6 and 8 metals: synthesis, characterization and comparison of X-ray crystallographic data, 106
Monosilanes
1,2-Dithiolate derivatives of monosilanes and disilanes, 133
Mössbauer
Triphenylphosphine oxide adducts of diphenylantimony(V) and diorganotin(IV) Lewis acids: structures of $SnPh_2Cl_2$·$OPPh_3$, $SnPh_2Cl_2$·2$OPPh_3$, $SnPh_2Br_2$·$OPPh_3$ and $SbPh_2Cl_3$·$OPPh_3$, 53
Mössbauer spectroscopy
^{57}Fe-Mössbauer spectroscopic study of monomeric and polymeric ferrocenyl- and octamethylferrocenyl-substituted ethynes, 1

N-{2-(4-Methoxyphenyltelluro)ethyl}morpholine
N-{2-(4-Methoxyphenyltelluro)ethyl}morpholine (**L^1**) and bis{2-(*N*-morpholino)ethyl}telluride (**L^2**): synthesis and complexation with palladium(II) and mercury(II). Crystal structures of *trans*-[$PdCl_2$(**L^1**)$_2$] and *trans*-[$PdCl_2$(**L^2**)$_2$], 46
NMR spectra
Disupersilyldisilane R*X_2Si–SiX_2R*: Darstellung, Charakterisierung und Strukturen; sterische Effekte der Substituenten, 141
Nucleophiles
The reactions of *cis*-[$Fe_2(\eta$-$C_5H_5)_2(CO)_2(\mu$-$CNMe_2)_2$][SO_3CF_3]$_2$ and related compounds with nucleophiles, 18

Octamethyl ferrocenyl polymers
^{57}Fe-Mössbauer spectroscopic study of monomeric and polymeric ferrocenyl- and octamethylferrocenyl-substituted ethynes, 1
Organoantimony
Triphenylphosphine oxide adducts of diphenylantimony(V) and diorganotin(IV) Lewis acids: structures of $SnPh_2Cl_2$·$OPPh_3$, $SnPh_2Cl_2$·2$OPPh_3$, $SnPh_2Br_2$·$OPPh_3$ and $SbPh_2Cl_3$·$OPPh_3$, 53
Organolanthanide
Synthesis and studies on reactivities of tetrahydrofurfurylcyclopentadienyl lanthanide chlorides Cp^sLnCl_2·2THF (Ln = Dy, Ho, Gd) and Cp^s_2LnCl·(Ln = Sm, Dy). The crystal structures of Cp^s_2SmCl and Cp^s_2Sm·$(C_3N_2HMe_2)$, 176

Organotin
Triphenylphosphine oxide adducts of diphenylantimony(V) and diorganotin(IV) Lewis acids: structures of $SnPh_2Cl_2 \cdot OPPh_3$, $SnPh_2Cl_2 \cdot 2OPPh_3$, $SnPh_2Br_2 \cdot OPPh_3$ and $SbPh_2Cl_3 \cdot OPPh_3$, 53
ortho-Metalated
ortho-Metalated dirhodium(II)-catalyzed α-diazocarbonyl transformation. Diastereoselective cyclopropanation of menthyl-α-diazo-β-keto ester and C–H insertion of α-diazo ester, 36
Orthometallation
The photolysis of $Fe(CO)_3\{P(OPh)_3\}_2$ and reaction of the photoproduct with alkynes: crystal structures of $Fe(CO)_2\{P(OPh)_3\}_2(\eta^2\text{-PhCCPh})$, $Fe(CO)_2\{P(OPh)_3\}_2\{\eta^1{:}\eta^1\text{-C(O)C(Me)C[CH(OEt)}_2\text{]C(O)}\}$ and $Fe_2(CO)_4\{P(OPh)_3\}_2(PhCCH)_2$, 61
Oxidative addition
Polynuclear cyclometallated palladium (II) complexes derived from potentially hexadentate Schiff base ligands. Crystal structures of $[(Cl)Pd\{Me_2NCH_2CH_2N{=}(H)C\}C_6H_2\{C(H){=}NCH_2CH_2NMe_2\}Pd(Cl)]$ and $[\{(Ph_2PCH_2CH_2)_2PPh\text{-}P,P,P\}Pd\{Me_2NCH_2CH_2N{=}(H)C\}C_6H_2\{C(H){=}NCH_2CH_2NMe_2\}Pd\{(Ph_2PCH_2CH_2)_2PPh\text{-}P,P,P\}][Cl]_2$, 85

Palladium
Polynuclear cyclometallated palladium (II) complexes derived from potentially hexadentate Schiff base ligands. Crystal structures of $[(Cl)Pd\{Me_2NCH_2CH_2N{=}(H)C\}C_6H_2\{C(H){=}NCH_2CH_2NMe_2\}Pd(Cl)]$ and $[\{(Ph_2PCH_2CH_2)_2PPh\text{-}P,P,P\}Pd\{Me_2NCH_2CH_2N = (H)C\}C_6H_2\{C(H) = NCH_2CH_2NMe_2\}Pd\{(Ph_2PCH_2CH_2)_2PPh\text{-}P,P,P\}][Cl]_2$, 85
Palladium(II)
N-{2-(4-Methoxyphenyltelluro)ethyl}morpholine (L^1) and bis{2-(*N*-morpholino)ethyl}telluride (L^2): synthesis and complexation with palladium(II) and mercury(II). Crystal structures of *trans*-$[PdCl_2(L^1)_2]$ and *trans*-$[PdCl_2(L^2)_2]$, 46
Phosphine complexes
Polynuclear cyclometallated palladium (II) complexes derived from potentially hexadentate Schiff base ligands. Crystal structures of $[(Cl)Pd\{Me_2NCH_2CH_2N{=}(H)C\}C_6H_2\{C(H){=}NCH_2CH_2NMe_2\}Pd(Cl)]$ and $[\{(Ph_2PCH_2CH_2)_2PPh\text{-}P,P,P\}Pd\{Me_2NCH_2CH_2N = (H)C\}C_6H_2\{C(H) = NCH_2CH_2NMe_2\}Pd\{(Ph_2PCH_2CH_2)_2PPh\text{-}P,P,P\}][Cl]_2$, 85
Phosphines
Sulfur(IV) compounds as ligands: Part XXV. Halfsandwich ruthenium thiosulfonato complexes. Crystal and molecular structure of $[CpRu(dppe)\{SSO_2(4\text{-}C_6H_4Cl)\}]$, 14
Phosphite
The photolysis of $Fe(CO)_3\{P(OPh)_3\}_2$ and reaction of the photoproduct with alkynes: crystal structures of $Fe(CO)_2\{P(OPh)_3\}_2(\eta^2\text{-PhCCPh})$, $Fe(CO)_2\{P(OPh)_3\}_2\{\eta^1{:}\eta^1\text{-C(O)C(Me)C[CH(OEt)}_2\text{]C(O)}\}$ and $Fe_2(CO)_4\{P(OPh)_3\}_2(PhCCH)_2$, 61
Polycarbodiimidogermylene
Polycarbodiimidogermylene: synthesis, characterization, properties and theoretical studies, 69
Pyrazolate
Synthesis and studies on reactivities of tetrahydrofurfurylcyclopentadienyl lanthanide chlorides $Cp^sLnCl_2 \cdot 2THF$ (Ln = Dy, Ho, Gd) and $Cp^s_2LnCl \cdot$(Ln = Sm, Dy). The crystal structures of Cp^s_2SmCl and $Cp^s_2Sm \cdot (C_3N_2HMe_2)$, 176

Rhenium
Reactivities of π-electron-rich phosphorus–nitrogen ligands toward Groups VIB and VIIB metal carbonyl complexes, 160
Rhenium complexes
Ruthenium and rhenium complexes with silyl-substituted bipyridyl ligands, 117
Rhodium
ortho-Metalated dirhodium(II)-catalyzed α-diazocarbonyl transformation. Diastereoselective cyclopropanation of menthyl-α-diazo-β-keto ester and C–H insertion of α-diazo ester, 36
Vibrational spectroscopy studies and density functional theory calculations on square-planar vinylidene, carbonyl and ethylene rhodium(I) complexes, 125
Ruthenium
Sulfur(IV) compounds as ligands: Part XXV. Halfsandwich ruthenium thiosulfonato complexes. Crystal and molecular structure of $[CpRu(dppe)\{SSO_2(4\text{-}C_6H_4Cl)\}]$, 14
Unbridged homo and hetero dinuclear complexes of Group 6 and 8 metals: synthesis, characterization and comparison of X-ray crystallographic data, 106
Ruthenium complexes
Ruthenium and rhenium complexes with silyl-substituted bipyridyl ligands, 117

Schiff base
Polynuclear cyclometallated palladium (II) complexes derived from potentially hexadentate Schiff base ligands. Crystal structures of $[(Cl)Pd\{Me_2NCH_2CH_2N{=}(H)C\}C_6H_2\{C(H){=}NCH_2CH_2NMe_2\}Pd(Cl)]$ and $[\{(Ph_2PCH_2CH_2)_2PPh\text{-}P,P,P\}Pd\{Me_2NCH_2CH_2N = (H)C\}C_6H_2\{C(H) = NCH_2CH_2NMe_2\}Pd\{(Ph_2PCH_2CH_2)_2PPh\text{-}P,P,P\}][Cl]_2$, 85
Selectivity
ortho-Metalated dirhodium(II)-catalyzed α-diazocarbonyl transformation. Diastereoselective cyclopropanation of menthyl-α-diazo-β-keto ester and C–H insertion of α-diazo ester, 36
Semiconductors
Polycarbodiimidogermylene: synthesis, characterization, properties and theoretical studies, 69
Silicon
Disupersilyldisilane $R^*X_2Si\text{–}SiX_2R^*$: Darstellung, Charakterisierung und Strukturen; sterische Effekte der Substituenten, 141
Silyl substituted bipyridyl ligands
Ruthenium and rhenium complexes with silyl-substituted bipyridyl ligands, 117
Steric effects
Disupersilyldisilane $R^*X_2Si\text{–}SiX_2R^*$: Darstellung, Charakterisierung und Strukturen; sterische Effekte der Substituenten, 141
Stille reaction
A novel synthesis of 1,1′-unsymmetrical disubstituted heteroarylferrocene, 172
Structure
Sulfur(IV) compounds as ligands: Part XXV. Halfsandwich ruthenium thiosulfonato complexes. Crystal and molecular structure of $[CpRu(dppe)\{SSO_2(4\text{-}C_6H_4Cl)\}]$, 14
Substitution
The reactions of *cis*-$[Fe_2(\eta\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CNMe_2)_2][SO_3CF_3]_2$ and related compounds with nucleophiles, 18
Sulfur
Sulfur(IV) compounds as ligands: Part XXV. Halfsandwich ruthenium thiosulfonato complexes. Crystal and molecular structure of $[CpRu(dppe)\{SSO_2(4\text{-}C_6H_4Cl)\}]$, 14
Synthesis
Synthesis and studies on reactivities of tetrahydrofurfurylcyclopentadienyl lanthanide chlorides $Cp^sLnCl_2 \cdot 2THF$ (Ln = Dy, Ho, Gd) and $Cp^s_2LnCl \cdot$(Ln = Sm, Dy). The crystal structures of Cp^s_2SmCl and $Cp^s_2Sm \cdot (C_3N_2HMe_2)$, 176

T-dependent
^{57}Fe-Mössbauer spectroscopic study of monomeric and polymeric ferrocenyl- and octamethylferrocenyl-substituted ethynes, 1
Tetrahydrofurfurylcyclopentadienyl
Synthesis and studies on reactivities of tetrahydrofurfurylcyclopentadienyl lanthanide chlorides $Cp^{s}LnCl_2 \cdot 2THF$ (Ln = Dy, Ho, Gd) and $Cp^{s}_2LnCl \cdot$(Ln = Sm, Dy). The crystal structures of Cp^{s}_2SmCl and $Cp^{s}_2Sm \cdot (C_3N_2HMe_2)$, 176
Theoretical studies
Polycarbodiimidogermylene: synthesis, characterization, properties and theoretical studies, 69
Thiosulfonate
Sulfur(IV) compounds as ligands: Part XXV. Halfsandwich ruthenium thiosulfonato complexes. Crystal and molecular structure of [CpRu(dppe){SSO_2(4-C_6H_4Cl)}], 14
Transition metal complexes
Transition metal complexes of 2,2,2-trifluoroethyl isocyanide and 1H,1H-perfluorooctyl isocyanide, 96
1,1′-Unsymmetrical diheteroaryl-ferrocene
A novel synthesis of 1,1′-unsymmetrical disubstituted heteroaryl-ferrocene, 172
Vinylidene complexes
Vibrational spectroscopy studies and density functional theory calculations on square-planar vinylidene, carbonyl and ethylene rhodium(I) complexes, 125
X-ray
Antiferromagnetic complexes with metal–metal bonds: Part XXIX. Synthesis and molecular structures of heterochalcogenide binuclear complex [π-($CH_3C_5H_4$)Cr(μ-SPh)]$_2$Se and trinuclear mixed-metal cluster [π-($CH_3C_5H_4$)$_2$Cr$_2$(μ-SPh)](μ_3-S)(μ_3-Se)Co(CO)$_2$, 9
X-ray structure analyses
Disupersilyldisilane R*X_2Si–SiX_2R*: Darstellung, Charakterisierung und Strukturen; sterische Effekte der Substituenten, 141